



## Athelopsis lacerata

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Atheliales, Atheliaceae, Athelopsis

Legitimate (Litsch.) J. Erikss. & Ryvar-  
den 1973

Aktueller Name gem. MycoDB: Athelopsis lacerata (Litsch.) J. Erikss. & Ryvar-  
den, The Corticiaceae of North Europe 2: 141 (1973) [MB309359]

Basionym: Corticium laceratum Litsch., Annales Mycologici 39 (2-3): 118 (1941) [MB285644]

Obligate Synonyme:

Amylocorticium laceratum (Litsch.) Hjortstam & Ryvar-  
den, Mycotaxon 10 (1): 206 (1979) [MB308686]

Athelia lacerata (Litsch.) Krieglst., Beiträge zur Kenntnis der Pilze Mitteleuropas 8: 174 (1992) [MB359200]

Spinnenartiges, feines weisses Gewebe, dass sich mit der Pinzette gut ablösen lässt.

mikroskopisch

### Sporenlänge

4-5 µm

### Sporenform

Oval

### Sporenmerkmale

Cyanophil

### Hyphen / Hyphensystem

Mit gelenkartigen Schnallen

chemisch

### Melzers-Reagenz

Jod negativ

### Gattung/en:

Athelopsis

<https://www.mycopedia.ch/pilze/10087.htm>



**Athelopsis lacerata**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Atheliales, Atheliaceae, Athelopsis



Flammer, T©

10403 15.11.2019



Flammer, T©

10404 15.11.2019

mit gelenkartigen Schnallen  
Hyphen


Basidien und Sporen in Kongorot  
Basidien



Flammer, T©

10401 15.11.2019

Kohlfirst\_Uhwiesen



Flammer, T©

10406 15.11.2019



**Athelopsis lacerata**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Atheliales, Atheliaceae, Athelopsis

