



Conocybe lactea

Milchweisses Samthäubchen

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Bolbitiaceae

Legitimate (J.E. Lange) Métrod 1940

Aktueller Name gem. MycoDB: Conocybe albipes Hauskn., Österreichische Zeitschrift für Pilzkunde 7: 102 (1998) [MB450076]

Basionym: Bolbitius albipes G.H. Otth, Mitteilungen der Naturforschenden Gesellschaft Bern 711-744: 92 (1871) [MB235425]

Taxonomische Synonyme:

Bolbitius lacteus J.E. Lange, Flora Agaricina Danica 5: II (1940) [MB284539]

Conocybe lactea (J.E. Lange) Métrod, Bull. trimest. Soc. mycol. Fr.: 46 (1940) [MB438179]

Conocybe apala var. albipes (Hauskn.) Arnolds, Persoonia 18 (2): 227 (2003) [MB488011]

makroskopisch

Fruchtkörperfarbe / Farbspektrum

Weiss

Stielfarbe / Rinde

Weiss

Lamellenfarbe

Ocker

Sporenfarbe / Sporenpulver (Abwurf)

Gelb-braun unter dem Mikroskop in Wasser in KOH 10% rostbraun

botanisch / ökologisch

Standort

Parks, Wiesen, Freiland

mikroskopisch

Sporenmembran, Oberfläche, Skulptur

Dickwandig

Cheilozystiden

Kopfig, spärlich

Gattung/en:

Conocybe

<https://www.mycopedia.ch/pilze/1016.htm>



Conocybe lactea

Milchweisses Samthäubchen

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Bolbitiaceae




Flammer, T©

15407 27.07.2023



Flammer, T©

15408 27.07.2023



Flammer, T©

15409 27.07.2023



Flammer, T©

15410 27.07.2023



Conocybe lactea

Milchweisses Samthäubchen

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Bolbitiaceae

