



Coprinus comatus

Schopftintling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Coprinaceae

Legitimate (O.F. Müll.) Pers. 1797

Aktueller Name gem. MycoDB: Coprinus comatus (O.F. Müll.) Pers., Tentamen dispositionis methodicae Fungorum: 62 (1797) [MB148667]

Basionym: Agaricus comatus O.F. Müll., Fl. dan.: t. 834 (1780) [MB142713]

Taxonomische Synonyme:

Agaricus cylindricus Schaeff., Fungorum qui in Bavaria et Palatinatu circa Ratisbonam nascuntur Icones 4: 5, t. 8 (1774) [MB199743]

Agaricus vaillantii J.F. Gmel., Systema Naturae 2 (2): 1427 (1792) [MB497127]

Dieser Pilz zieht beim Kochen sehr viel Wasser, weshalb er eher für Suppen geeignet ist. Nur junge Exemplare verwenden.

kulinarisch

Essbarkeit / Speisewert (ohne Gewähr)

Speisepilz

Dokumente

Beeinflusst der Schopftintling die Neurodermatitis https://www.mycopedia.ch/literatur/szp/periskop_008.pdf

Gattung/en:

Coprinus <https://www.mycopedia.ch/pilze/1017.htm>



Coprinus comatus

Schopftintling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Coprinaceae



Flammer, T©

772 28.09.2009



Flammer, T©

12672 21.09.2021

Riesenexemplar von 30cm



Flammer, T©

1011 16.09.2022



Flammer, T©

1012 23.09.2017



Coprinus comatus

Schopftintling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Coprinaceae



Flammer, T©

1013 28.09.2009



Flammer, T©

5195 14.09.2014



Flammer, T©

6262 02.10.2016



Flammer, T©

6931 27.09.2017