



## Coprotus lacteus

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales

Legitimate (Cooke & W. Phillips) 1972  
Kimbr., Luck-Allen & Cain

Aktueller Name gem. MycoDB: Coprotus lacteus (Cooke & W. Phillips) Kimbr., Luck-Allen & Cain, Canadian Journal of Botany 50 (5): 965 (1972) [MB311765]

Basionym: Ascobolus lacteus Cooke & W. Phillips, Grevillea 5 (35): 119 (1877) [MB319593]

Obligate Synonyme:

Ascophanus lacteus (Cooke & W. Phillips) W. Phillips, A manual of the British Discomycetes: 306 (1887) [MB206377]

Helotium lacteum (Cooke & W. Phillips) Massee (1895) [MB219619]

makroskopisch

### Fruchtkörper / Habitus / Wachstumsform

0,5 mm kleine runde los sitzende Scheibchen, blass, fein granuliert Oberfläche

### Substrat

Dung

mikroskopisch

### Sporenmasse

8 - 10 µm lang

### Sporenform

Elliptisch

### Sporenmembran, Oberfläche, Skulptur

Glatt, hyalin

### Sporen pro Ascus

8

chemisch

### Melzers-Reagenz

Jod negativ

Varia

### Bestimmt nach

Microfungi on miscellaneous substrates - Ellis, Martin B; Ellis, Pamela J - The Richmond Publishing Co. Ltd. - 085546-248-5

### Gattung/en:

Coprotus

<https://www.mycopedia.ch/pilze/11443.htm>



**Coprotus lacteus**

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales




Flammer, T©

15764 14.09.2023



Flammer, T©

15765 14.09.2023



Flammer, T©

15766 14.09.2023