



Cortinarius anserinus

Buchen-Klumpfuss

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Cortinariaceae, Cortinarius

Legitimate (Velen.) Rob. Henry 1986

Aktueller Name gem. MycoDB: Cortinarius anserinus (Velen.) Rob. Henry, Bulletin de la Société Mycologique de France 102 (1): 54 (1986) [MB438206]

Basionym: Phlegmacium anserinum Velen., Ceske Houby 2: 410 (1920) [MB256978]

Cortinarius anserinus hat sehr viel weisses Velum und lila Lamellen.

makroskopisch

Fleischfarbe / Trama / Farbe Schnitt Fruchtkörper

Stiel im Schnitt hellviolett

Hutfarbe

Blass, beige

Hutmerkmale

Fädige, ausgeprägte Cortina

Stielbasis / Basis

Zwiebelig, knollig

olfaktorisch / organoleptisch

Geruch / Geruchsprofil

Nach Pflaumen, fruchtig, bzw.. etwas unangenehm

botanisch / ökologisch

Standort

Fagus

chemisch

Kalilaugenreaktion / KOH

Negativ

Gattung/en:

Cortinarius

<https://www.mycopedia.ch/pilze/8689.htm>



Cortinarius anserinus

Buchen-Klumpfuss

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Cortinariaceae, Cortinarius



Flammer, T©

14415 07.10.2022




Flammer, T©

1868 27.09.2010



Flammer, T©

1869 27.09.2010



Flammer, T©

1870 27.09.2010



Cortinarius anserinus

Buchen-Klumpfuss

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Cortinariaceae, Cortinarius



Flammer, T©

10049 10.10.2019



Flammer, T©

16094 10.10.2023