



Cortinarius sommerfeltii

Trübfarbiger Hautkopf

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Cortinariaceae, Cortinarius

Legitimate

Høil. 1984

Aktueller Name gem. MycoDB: Cortinarius sommerfeltii Høil., Opera Botanica 71: 97 (1984) [MB107877]

Taxonomische Synonyme: Dermocybe sommerfeltii (Høil.) M.M. Moser (?) [MB580105]

makroskopisch

Hutfarbe

Rostbraun, gegen Rand heller

Hutmerkmale

2fach konzentrisch gezont

mikroskopisch

Sporenmembran, Oberfläche, Skulptur

Mittelwarzig

chemisch

Kalilaugenreaktion / KOH

Schwarz

Varia

Bestimmt nach

Ludwig Erhard, Pilzkompendium, IHW-Verlag

Gattung/en:

Cortinarius

<https://www.mycopedia.ch/pilze/8689.htm>



Cortinarius sommerfeltii

Trübfarbiger Hautkopf

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Cortinariaceae, Cortinarius



Flammer, T©


16472 12.11.2023



Flammer, T©

16471 12.11.2023


Cheilozystiden



Flammer, T©

16473 12.11.2023

Sporen



Flammer, T©

16474 12.11.2023




Cortinarius sommerfeltii

Trübfarbiger Hautkopf

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Cortinariaceae, Cortinarius

Sporen



Flammer, T©

16475 12.11.2023