

**Cystoderma amianthinum f. rugosoreticulatum****Amiantkörnenschirmling**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Agaricaceae

Legitimate (Scop.) Fayod 1889

Aktueller Name gem. MycoDB: Cystoderma amianthinum (Scop.) Fayod, Annales des Sciences Naturelles Botanique ser. 7, 9: 351 (1889) [MB121919]

Basionym: Agaricus amianthinus Scop., Flora carniolica 2: 434, no 1500 (1772) [MB465212]

Obligate Synonyme:

Lepiota amianthina (Scop.) P. Karst., Bidrag till Kännedom av Finlands Natur och Folk 32: 15 (1879) [MB249415]

Lepiota granulosa var. amianthina (Scop.) P. Kumm., Der Führer in die Pilzkunde: 136 (1871) [MB477067]

Armillaria amianthina (Scop.) Kauffman, Papers of the Michigan Academy of Sciences 2: 60 (1923) [MB250649]

Agaricus granulosis var. amianthinus (Scop.) Fr., Epicrisis Systematis Mycologici: 18 (1838) [MB452995]

Cystoderma amianthinum (Scop.) Konrad & Maubl.: pl. 238 (1927) [MB531494]

makroskopisch

Hutmerkmale

Körnig-flockig

Stielmerkmale

Mit einem flockigen Ring

mikroskopisch

Sporenmasse

5.2 - 6.5 x 3.1 - 3.8 µm - Q: 1.45 - 1.84 (Ø LxB: 5.6 x 3.4 AzM: 23)

Hutdeckschicht

Aus runden Zellen

Gattung/en:

Cystoderma

<https://www.mycopedia.ch/pilze/1021.htm>



Cystoderma amianthinum f. *rugosoreticulatum*

Amiantkörnenschirmling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Agaricaceae



Flammer, T©

15709 11.09.2023



Flammer, T©

13110 01.11.2021

Stiel



Flammer, T©

11582 08.11.2020



Flammer, T©

11583 07.11.2020



Cystoderma amianthinum f. *rugosoreticulatum*

Amiantkörnenschirmling


Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Agaricaceae

Hutoberfläche



Flammer, T©


11584 07.11.2020



Flammer, T©

11585 08.11.2020

HDS



Flammer, T©

13111 02.12.2021