



## Dothiora ribesia

Fungi, Dikarya, Ascomycota, Pezizomycotina, Dothideomycetes, Dothideomycetidae, Dothideales, Dothioraceae

Legitimate (Pers.) M.E. Barr 1972

Aktueller Name gem. MycoDB: Dothiora ribesia (Pers.) M.E. Barr, Contributions from the University of Michigan Herbarium 9: 576 (1972) [MB313341]

Basionym: Sphaeria ribesia Pers., Annalen der Botanik (Usteri) 11: 24 (1794) [MB375230]

Obligate Synonyme:

Dothidea ribesia (Pers.) Fr., Systema Mycologicum 2: 550 (1823) [MB152028]

Dothidella ribesia (Pers.) Theiss. & Syd., Annales Mycologici 13 (3-4): 309 (1915) [MB102497]

Plowrightia ribesia (Pers.) Sacc., Sylloge Fungorum 2: 635 (1883) [MB232542]

Phragmodothella ribesia (Pers.) Petr., Annales Mycologici 17 (2-6): 62 (1920) [MB416509]

Stromatosphaeria ribesia (Pers.) Grev., Flora Edinensis: 357 (1824) [MB416599]

Peripherostoma ribis (Pers.) Gray, A natural arrangement of British plants 1: 514 (1821) [MB562224]

Auf roter Johannisbeere.

/ Discostroma massarina

makroskopisch

**Fruchtkörper / Habitus / Wachstumsform**

Rinde durchbrechend, abgeflacht und oft in der Mitte mit einer Delle

**Substrat**

Ribes, Johannisbeere

mikroskopisch

**Sporenmasse**

24.3 - 32.6 x 5.2 - 8.3 µm - Q: 3.47 - 4.86 (Ø LxB: 27.5 x 6.9 ØQ:4.0 AzM: 13)

**Sporenform**

Spindelig, 1fach septiert

**Sporenmerkmale**

Farblos, hyalin, 1fach septiert

**Gattung/en:**

Dothiora

<https://www.mycopedia.ch/pilze/8335.htm>



**Dothiora ribesia**

Fungi, Dikarya, Ascomycota, Pezizomycotina, Dothideomycetes, Dothideomycetidae, Dothideales, Dothioraceae



Flammer, T©

14725 20.03.2023



Flammer, T©


14726 20.03.2023

Zellwände



Flammer, T©

14727 20.03.2023



Flammer, T©

14728 20.03.2023