



Entoloma lepidissimum

Blauschwarzer Rötling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Entolomataceae

Legitimate (Svrček) Noordel. 1982

Aktueller Name gem. MycoDB: Entoloma lepidissimum (Svrček) Noordel., Persoonia 11: 460 (1982) [MB110649]

Basionym: Leptonia lepidissima Svrček, Česká Mykologie 18 (4): 205 (1964) [MB333203]

Obligates Synonym: Rhodophyllus lepidissimus (Svrček) M.M. Moser, Kleine Kryptogamenflora von Mitteleuropa - Die Blätter- und Baupilze (Agaricales und Gastromycetes) IIb/2: 163 (1967) [MB322680]

makroskopisch

Fruchtkörper / Habitus / Wachstumsform

Hutdurchmesser 2cm

Fruchtkörperfarbe / Farbspektrum

Blauschwarz - violett-schwarz

Hutmerkmale

Filzig

Lamellenfarbe

Hellgelb-ocker

botanisch / ökologisch

Standort

Auf Häcksel

Gattung/en:

Entoloma <https://www.mycopedia.ch/pilze/1025.htm>

Siehe auch

Entoloma dichroum <https://www.mycopedia.ch/pilze/5713.htm>



Entoloma lepidissimum

Blauschwarzer Rötling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Entolomataceae




Flammer, T©

4685 03.08.2014




Flammer, T©

4687 03.08.2014



Flammer, T©

4688 03.08.2014



Flammer, T©

4690 03.08.2014



Entoloma lepidissimum

Blauschwarzer Rötling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Entolomataceae



Flammer, T©

4692 09.08.2014



Flammer, T©

4877 09.08.2014