



## Hemitrichia pardina

Protozoa, Myxomycota?, Trichiales, Arcyriaceae

Legitimate (Minakata) Ing 1999

Aktueller Name gem. MycoDB: Hemitrichia pardina (Minakata) Ing, The Myxomycetes of Britain and Ireland: An Identification Handbook: 132 (1999) [MB450504]

Basionym: Hemitrichia minor var. pardina Minakata, Transactions of the British Mycological Society 5 (1): 82 (1915) [MB179580]

Obligate Synonyme:

Perichaena minor var. pardina (Minakata) Hagelst., Mycologia 35 (1): 131 (1943) [MB351791]

Hyporhamma pardinum (Minakata) Lado, Cuadernos de Trabajo Flora Micológica Ibérica 16: 48 (2001) [MB372769]

Taxonomische Synonyme: Hyporhamma pardina (Minakata) Lado (2001) [MB266345]

makroskopisch

### Substrat

Dung

mikroskopisch

### Sporenmasse

10 - 12 µm

### Mikroskopische Eigenschaften

Elateren dornig, verzweigt, dazwischen blasig, Enden knotig

### Sporenform

Globos

### Sporenmembran, Oberfläche, Skulptur

Fein punktiert

### Pilzporträt JPG

Hemitrichia pardina 01

[https://www.mycopedia.ch/pilze/collagen/Hemitrichia\\_pardina\\_01.jpg](https://www.mycopedia.ch/pilze/collagen/Hemitrichia_pardina_01.jpg)

### Gattung/en:

Hemitrichia

<https://www.mycopedia.ch/pilze/11762.htm>



Hemitrichia pardina

Protozoa, Myxomycota?, Trichiales, Arcyriaceae



Flammer, T©

14944 16.04.2023




Flammer, T©

15023 23.04.2023



Flammer, T©

14945 16.04.2023



Flammer, T©

14946 16.04.2023



Hemitrichia pardina

Protozoa, Myxomycota?, Trichiales, Arcyriaceae



Flammer, T©

15065 27.04.2023