



Heydenia arietina

Fungi, Dikarya, Ascomycota

Legitimate (E. Fisch.) Leuchtm. & Clémençon 2012

Aktueller Name gem. MycoDB: Heydenia arietina (E. Fisch.) Leuchtm. & Clémençon, Mycological Progress 11: 706 (2012) [MB561058]
 Basionym: Onygena arietina E. Fisch., Rabenhorst s Kryptogamen-Flora, Pilze - Ascomyceten: Tuberaceen und Hemiasceen 1 (5): 106 (1897) [MB183688]

makroskopisch

Fruchtkörper / Habitus / Wachstumsform

Tellerförmig eingedellt. Ca 15 FK. Köpfchen 2 mm DM. Stiele bis 7 mm lang.

Substrat

Auf Silikatstein

botanisch / ökologisch

Standort

Arina (GR) 2000 m.ü.M.

mikroskopisch

Sporenmasse

9-10 x 6-7 µm

Dokumente

The taxonomic position of the genus Heydenia <https://www.mycopedia.ch/literatur/various/heydenia.pdf>

Gattung/en:

Heydenia <https://www.mycopedia.ch/pilze/9000.htm>

Links

<https://ascomycete.org/2000-Pezizales/Species/Heydenia-arietina?mapid=197#prettyPhoto>



Heydenia arietina

Fungi, Dikarya, Ascomycota




Flammer, T©

7543 10.04.2018




Flammer, T©

7544 10.04.2018



Flammer, T©

7545 10.04.2018




Flammer, T©

7546 10.04.2018



Heydenia arietina

Fungi, Dikarya, Ascomycota



Flammer, T©

7548 10.04.2018



Flammer, T©

7547 10.04.2018