



## Hysterographium fraxini

Fungi, Dikarya, Ascomycota, Pezizomycotina, Dothideomycetes, Hysteriales, Hysteriaceae

Legitimate

(Pers.) De Not. 1847

Aktueller Name gem. MycoDB: Hysterographium fraxini (Pers.) De Not., Giorn. Bot. Ital. 2 (7-8): 22 (1847) [MB232405]

Basionym: Hysterium fraxini Pers., Neues Magazin für die Botanik 1: 85 (1794) [MB169368]

Obligates Synonym: Hypoderma fraxini (Pers.) DC., Flore française 2: 599 (1805) [MB434203]

makroskopisch

### Substrat

Auf Esche

mikroskopisch

### Sporenmasse

Längs- und quer mauerförmig septiert

### Sporenlänge

35-40 µm

### Gattung/en:

Hysterographium

<https://www.mycopedia.ch/pilze/8343.htm>




Hysterographium fraxini

Fungi, Dikarya, Ascomycota, Pezizomycotina, Dothideomycetes, Hysteriales, Hysteriaceae



Flammer, T©

12184 03.03.2021



Flammer, T©


12182 03.03.2021

Asci



Flammer, T©

12183 03.03.2021




Flammer, T©

12185 03.03.2021




Hysterographium fraxini

Fungi, Dikarya, Ascomycota, Pezizomycotina, Dothideomycetes, Hysteriales, Hysteriaceae



Flammer, T©

12186 03.03.2021



Flammer, T©

12187 03.03.2021