



Lasiobolus diversisporus

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales

Legitimate

(Fuckel) Sacc. 1889

Aktueller Name gem. MycoDB: Lasiobolus diversisporus (Fuckel) Sacc., Sylloge Fungorum 8: 538 (1889) [MB246281]

Basionym: Ascobolus diversisporus Fuckel, Jahrbücher des Nassauischen Vereins für Naturkunde 23-24: 289 (1870) [MB244339]

Obligate Synonyme:

Humaria diversispora (Fuckel) Speg., Michelia 1 (2): 236 (1878) [MB181263]

Lachnea diversispora (Fuckel) Bizz.: no. 225 (1873) [MB582096]

mikroskopisch

Sporenmasse

28-30 x 12-13 µm

Sporenmembran, Oberfläche, Skulptur

Warzig

Randhaare

Bis 300 µm

Varia

Bestimmt nach

The genus Lasiobolus (Pezizales, Ascomycetes Bezerra & Kimbrough, Can. J. Bot. 53, 1975 -

Gattung/en:

Lasiobolus

<https://www.mycopedia.ch/pilze/9016.htm>



Lasiobolus diversisporus

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales



Flammer, T©


15626 03.09.2023



Flammer, T©


15628 03.09.2023

Randhaare



Flammer, T©

15629 03.09.2023



Flammer, T©

15627 03.09.2023