



Leccinum aurantiacum

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Boletales, Boletaceae, Leccinum

Legitimate (Bull.) Gray 1821

Aktueller Name gem. MycoDB: *Leccinum aurantiacum* (Bull.) Gray, A natural arrangement of British plants 1: 646 (1821) [MB101071]
 Basionym: *Boletus aurantiacus* Bull., Herbar de la France 5: t. 236 (1785) [MB452868]
 Obligate Synonyme:
Krombholziella aurantiaca (Bull.) Maire, Publicacions del Instituto Botánico Barcelona 3 (4): 46 (1937) [MB257841]
Boletus scaber var. *aurantiacus* (Bull.) Opat., Commentatio historico-naturalis de familia fungorum Boletoidaeorum: 34 (1836) [MB116551]
Trachypus aurantiacus (Bull.) Romagn., Rev. Mycol. (Paris): 141 (1939) [MB250879]
Boletus versipellis var. *aurantiacus* (Bull.) Vassilkov, Edible and poisonous fungi of the medium belt of the European part of the USSR: 38 (1948) [MB346584]
Krombholziella aurantiaca (Roques ex Bull.) E.J. Gilbert, Les Livres du Mycologue Tome I-IV, Tom. III: Les Bolets: 182 (1931) [MB257839]
 Taxonomische Synonyme:
Leccinum populinum M. Korhonen, Karstenia 35 (2): 55 (1995) [MB413354]
Boletus leucopodius Pers., Observationes mycologicae 2: 11 (1799) [MB372475]
Leccinum leucopodium (Pers.) Dörfelt & G. Berg, Feddes Repertorium 101 (9-10): 567 (1990) [MB127319]
Boletus aurantius var. *leucopodius* (Pers.) Pers., Synopsis methodica fungorum: 504 (1801) [MB498137]
Leccinum aurantiacum var. *leucopodium* (Pers.) Gray, A natural arrangement of British plants 1: 646 (1821) [MB500406]
Leccinum aurantiacum β *leucopodium* (Pers.) Gray (1821) [MB486531]
Leccinum salicola Watling, Notes R. bot. Gdn Edinb. (1971) [MB373215]
Krombholziella salicola (Watling) Šutara, Česká Mykologie 36 (2): 82 (1982) [MB438531]
Boletus salicola (Watling) Hlaváček, Mykologický Sborník 65 (3): 83 (1988) [MB135005]
Boletus rufus Schaeff., Fungorum qui in Bavaria et Palatinatu circa Ratisbonam nascuntur Icones 2: tab. 103 (1763) [MB466627]
Leccinum salicola Watling, Notes from the Royal Botanical Garden Edinburgh 31: 139 (1971) [MB586484]
Solenia rufa Schaeff. ex Kuntze, Revisio generum plantarum 3 (3): 522 (1898) [MB629613]

makroskopisch

Hutfarbe

Rotbraun

Stielmerkmale

Stielschuppen rotbraun auf weisem Grund

botanisch / ökologisch

Standort

Laubwald, Fagus, Quercus

Gattung/en:

Leccinum <https://www.mycopedia.ch/pilze/1045.htm>



Leccinum aurantiacum

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Boletales, Boletaceae, Leccinum



Flammer, T©

15519 13.08.2023



Flammer, T©

14585 20.10.2022