



Otidea alutacea

Eingeschnittener Öhrling

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyronemataceae

Legitimate

(Pers.) Masee 1895

Aktueller Name gem. MycoDB: Otidea alutacea (Pers.) Masee, British Fungus-Flora 4: 446 (1895) [MB118687]

Basionym: Peziza alutacea Pers., Observationes mycologicae 2: 78 (1799) [MB242997]

Obligate Synonyme:

Plicaria alutacea (Pers.) Fuckel, Jahrbücher des Nassauischen Vereins für Naturkunde 23-24: 327 (1870) [MB145127]

Scodellina alutacea (Pers.) Gray, A natural arrangement of British plants 1: 668 (1821) [MB462166]

Peziza cochleata β alutacea (Pers.) Fr., Systema Mycologicum 2: 50 (1822) [MB137257]

Aleuria alutacea (Pers.) Gillet, Champignons de France. Les Discomycètes 2: 42 (1879) [MB816526]

makroskopisch

Fruchtkörperfarbe / Farbspektrum

Hellbraun, braun, dunkelbraun

botanisch / ökologisch

Standort

Laubwald, Mischwald

mikroskopisch

Paraphysen

Stark spazierstockartig

Gattung/en:

Otidea

<https://www.mycopedia.ch/pilze/7119.htm>

Siehe auch

Otidea auricula

<https://www.mycopedia.ch/pilze/8431.htm>



Otidea alutacea

Eingeschnittener Öhrling

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyronemataceae



Flammer, T©

3120 01.10.2012



Flammer, T©

1659 01.10.2012



Flammer, T©

7033 04.10.2017



Flammer, T©

7034 04.10.2017



Otidea alutacea


Eingeschnittener Öhrling

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyronemataceae



Flammer, T©

7035 04.10.2017



Flammer, T©

7057 04.10.2017



Flammer, T©

7058 04.10.2017