



Otidea auricula

Hasenohr, Bräunliches Hasenohr

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyronemataceae

Legitimate (Schaeff.) Rehm 1882

Aktueller Name gem. MycoDB: *Otidea leporina* (Batsch) Fuckel, Jahrbücher des Nassauischen Vereins für Naturkunde 23-24: 329 (1870) [MB164037]

Basionym: *Peziza leporina* Batsch, Elenchus fungorum: 117 (1783) [MB246469]

Obligate Synonyme:

Helvella leporina (Batsch) Franchi, L. Lami & M. Marchetti, Rivista di Micologia 42 (1): 63 (1999) [MB459350]

Wynnella auricula (Schaeff.) Boud., Bulletin de la Société Mycologique de France 12: XXXIV (1896) [MB434069]

Scutellinia auricula (Schaeff.) Seaver (1928) [MB257925]

Peziza auricula Schaeff., Fungorum qui in Bavaria et Palatinatu circa Ratisbonam nascuntur Icones 4: tab. 156 (1774) [MB147353]

Otidea auricula (Schaeff.) Rehm, Ascomyceten Fasc. 14: no. 652 (1882) [MB160134]

Scodellina leporina (Batsch) Gray, A natural arrangement of British plants 1: 668 (1821) [MB477116]

Helvella auricula Schaeff., Fungorum qui in Bavaria et Palatinatu circa Ratisbonam nascuntur Icones 4: 103 (1774) [MB482707]

Scodellina auricula (Schaeff.) Seaver, The North American Cup-Fungi (Operculates): 185 (1928) [MB505818]

Elvela auricula Schaeff. (1774) [MB560491]

Aleuria auricula (Schaeff.) Gillet, Champignons de France. Les Discomycètes 2: 40 (1879) [MB805546]

Peziza auricula (Schaeff.) Cooke, Mycographia, seu Icones fungorum 1 (3): 124 (1876) [MB805547]

Wynnella auricula (?) [MB457606]

Aleuria leporina (Batsch) Gillet, Champignons de France. Les Discomycètes 2: 40 (1879) [MB816527]

Peziza onotica subsp. *auricula* (Schaeff.) P. Karst., Acta Societatis pro Fauna et Flora Fennica 2 (6): 114 (1885) [MB651588]

Wynnella leporina (Batsch) Rehm, Rabenhorst's Kryptogamen-Flora, Pilze - Ascomyceten 1.3 (42 & 43): 1027 (1894) [MB652357]

Taxonomische Synonyme:

Otidea leporina var. *rubescens* Velen., Monographia Discomycetum Bohemiae: 354 (1934) [MB269252]

Otidea myosotis Harmaja, Karstenia 15: 32 (1976) [MB319056]

Otidea leporina f. *minor* Rehm, Berichte des Naturhistorischen Vereins Augsburg 26: 63 (1881) [MB164710]

Otidea leporina var. *minor* (Rehm) Sacc., Sylloge Fungorum 8: 94 (1889) [MB817854]

Otidea crassa W.Y. Zhuang, Mycotaxon 94: 366 (2006) [MB356331]

Otidea leporina f. *major* Rehm, Hedwigia 22 (3): 34 (1883) [MB514138]

Otidea fuckelii M. Carbone & Van Vooren, Rivista di Micologia 52 (4): 322 (2010) [MB518501]

Otidea crassa W.Y. Zhuang (2006) [MB314660]

makroskopisch

Stielbasis / Basis

Weissfilzig

botanisch / ökologisch

Standort

Bergwald

Gattung/en:

Otidea <https://www.mycopedia.ch/pilze/7119.htm>

Siehe auch

Otidea alutacea <https://www.mycopedia.ch/pilze/7422.htm>



Otidea auricula

Hasenohr, Bräunliches Hasenohr

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyronemataceae



Flammer, T©

5124 01.04.2018