

**Panaeolus papilionaceus var. capitatocystis**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae

Legitimate

E. Ludw. 2001

Aktueller Name gem. MycoDB: *Panaeolus papilionaceus* var. *capitatocystis* E. Ludw., Pilzkompendium 1: 485 (2001) [MB539524]Taxonomische Synonyme: *Panaeolus papilionaceus* var. *capitocystis* E. Ludw. (2001) [MB529929]

mikroskopisch

Sporenmasse

9.9 - 13.3 x 4.4 - 8.5 µm Q: 1.47 - 2.89 (Ø LxB: 12.4 x 7.3 µm)

Cheilozystiden

Kopfig, kegelförmig

Gattung/en:

Panaeolus

<https://www.mycopedia.ch/pilze/4111.htm>



Panaeolus papilionaceus var. capitatocystis

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae



Flammer, T©

11535 03.11.2020


Cheilozystiden



Flammer, T©


11517 03.11.2020

Basidien



Flammer, T©

11519 03.11.2020



Flammer, T©

11520 03.11.2020



Panaeolus papilionaceus var. capitatozystis

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae

