



## Parasola auricoma

## Braunhaariger Tintling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae

Legitimate (Pat.) Redhead, Vilgalys & Hopple 2001

Aktueller Name gem. MycoDB: Parasola auricoma (Pat.) Redhead, Vilgalys & Hopple, Taxon 50 (1): 235 (2001) [MB474759]

Basionym: Coprinus auricomus Pat., Tabulae Analyticae Fungorum 1 (5): 200, t. 453 (1886) [MB227551]

Taxonomische Synonyme: Coprinus hansenii J.E. Lange, Dansk botanisk Arkiv 2 (3): 48 (1915) [MB169187]

Eindeutig lässt sich dieses Pilzchen am besten anhand der Haare in der Huthaut identifizieren.

makroskopisch

**Sporenfarbe / Sporenpulver (Abwurf)**

Dunkelbraun

botanisch / ökologisch

**Standort**

Parkanlagen, Waldränder, Blumentöpfe

mikroskopisch

**Sporenmasse**

13-16 x 7-8 µm

**Sporenmerkmale**

Mit deutlichem Keimporus

**Hutdeckschicht**

HDS aus blasigen Zellen, dazwischen mit dickwandige bräunliche Haare (Setae)

**Gattung/en:**

Parasola <https://www.mycopedia.ch/pilze/8631.htm>

**Siehe auch**

Tulosesus impatiens <https://www.mycopedia.ch/pilze/8552.htm>

Tulosesus impatiens <https://www.mycopedia.ch/pilze/5859.htm>

Parasola auricoma <https://www.mycopedia.ch/pilze/4821.htm>

Parasola plicatilis <https://www.mycopedia.ch/pilze/5714.htm>



Parasola auricoma

Braunhaariger Tintling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae



Flammer, T©

143 28.09.2009




Flammer, T©

142 28.09.2009


birnförmige Zellen  
HDS

Basidien



Flammer, T©

3718 20.05.2013



Flammer, T©

3720 20.05.2013



Parasola auricoma

Braunhaariger Tintling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae

