



## Pholiota spumosa cf

## Nadelholz-Schüppling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Strophariaceae

Legitimate

(Fr.) Singer 1948

Aktueller Name gem. MycoDB: Pholiota spumosa (Fr.) Singer, Sydowia 2 (1-6): 37 (1948) [MB289399]

Basionym: Agaricus spumosus Fr., Systema Mycologicum 1: 252 (1821) [MB455952]

Obligate Synonyme:

Flammula spumosa (Fr.) P. Kumm., Der Führer in die Pilzkunde: 81 (1871) [MB175034]

Dryophila spumosa (Fr.) Quél., Enchiridion Fungorum in Europa media et praesertim in Gallia Vigentium: 70 (1886) [MB455951]

Pholiotina spumosa (Fr.) Singer, Lilloa 22: 517 (1951) [MB303075]

Gymnopilus spumosus (Fr.) Murrill, Mycologia 4 (5): 254 (1912) [MB499383]

Taxonomische Synonyme: Agaricus silaceus var. ebulbis Alb. &amp; Schwein., Conspectus Fungorum in Lusatae superioris: 205 (1805) [MB498043]

makroskopisch

**Hutmerkmale**

Klebrig, schleimig

olfaktorisch / organoleptisch

**Geschmack**

Mild angenehm

mikroskopisch

**Sporenmasse**

6.1 - 7.9 x 3.9 - 4.7 µm - Q: 1.45 - 1.78 (Ø LxB: 7.0 x 4.4 µm ØQ:1.6 AzM: 22)

**Cheilozystiden**

Spindelrig, dickwandig, apikal mit Kristallen

**Gattung/en:**Pholiota <https://www.mycopedia.ch/pilze/1072.htm>**Siehe auch**Hypholoma fasciculare <https://www.mycopedia.ch/pilze/4058.htm>



*Pholiota spumosa* cf

Nadelholz-Schüppling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Strophariaceae



Flammer, T©

12791 28.09.2021




Flammer, T©

12742 25.09.2021



Flammer, T©

12744 25.09.2021



Flammer, T©


12743 26.09.2021



*Pholiota spumosa* cf


Nadelholz-Schüppling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Strophariaceae



Flammer, T©

12775 26.09.2021



Flammer, T©

12776 26.09.2021