



Phragmidium rubi-idaei

Himbeerrost

Fungi, Dikarya, Basidiomycota, Pucciniomycotina, Pucciniomycetes, Pucciniales, Phragmidiaceae

Legitimate (DC.) P. Karst. 1879

Aktueller Name gem. MycoDB: Phragmidium rubi-idaei (DC.) P. Karst., Bidrag till Kännedom av Finlands Natur och Folk 31: 52 (1879) [MB210241]

Basionym: Puccinia rubi-idaei DC., Flore française 6: 54 (1815) [MB239141]

Taxonomische Synonyme:

Phragmidium effusum Auerswald, Klotzschii herbarium vivum mycologicum sistens fungorum per totam Germaniam crescentium collectionem perfectam. Centuria XIV: no. 1391 (1850) [MB209923]

Ascophora disciflora var. byssina Tode, Fungi Mecklenburgenses Selecti 1: 16, t. 3:27 (1790) [MB433048]

Ascophora disciflora var. beta Tode (1790) [MB251992]

Gattung/en:

Phragmidium

<https://www.mycopedia.ch/pilze/7757.htm>


Blatt mit Rostherden



Flammer, T©

2083 24.05.2011

Sporen und Basidien



Flammer, T©

2084 24.05.2011