

**Psathyrella cotonea****Schwefelfüssiger Faserling, Pinsel Mürbling**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae

Legitimate (Quél.) Konrad & Maubl. 1949

Aktueller Name gem. MycoDB: Psathyrella cotonea (Quél.) Konrad & Maubl., Encyclopédie Mycologique 14: 126 (1949) [MB304283]

Basionym: Stropharia cotonea Quél., Bulletin de la Société Botanique de France 23: 328, XLIV (1877) [MB455733]

Obligate Synonyme:

Drosophila cotonea (Quél.) Kühner & Romagn., Flore Analytique des Champignons Supérieurs: 370 (1953) [MB296981]

Hypholoma cotoneum (Quél.) Lange, Dansk botanisk Arkiv 4 (4): 41 (1923) [MB537953]

Taxonomische Synonyme: Hypholoma cotonea (Quél.) Lange (1923) [MB455732]

Sehr stattliche Art in der Gruppe der Faserlinge

makroskopisch

Büschelig

mikroskopisch

Cheilozystiden

Utriform, spindelig, mit ballonförmigen braunen Parazystiden

Gattung/en:

Psathyrella


<https://www.mycopedia.ch/pilze/1076.htm>



Psathyrella cotonea

Schwefelfüssiger Faserling, Pinsel Mürbling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae



Flammer, T©


10192 24.10.2019



Psathyrella cotonea und Lacrymaria lacrymabunda am selben Strunk


Flammer, T©

10193 24.10.2019



Flammer, T©

10191 24.10.2019



Cheilozystiden

Flammer, R©

13299 12.12.2021



Psathyrella cotonea

Schwefelfüssiger Faserling, Pinsel Mürbling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Psathyrellaceae

