



## Pseudosperma obsoletum

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Inocybaceae

Legitimate (Quadr.) Valade 2020

Aktueller Name gem. MycoDB: Pseudosperma obsoletum (Quadr.) Valade, Index Fungorum 447: 1 (2020) [MB557833]

Basionym: Inocybe rimosa var. obsoleta Quadr., Quaderni dell Accademia Nazionale dei Lincei 264: 109 (1990) [MB127447]

Obligates Synonym: Inocybe obsoleta (Quadr.) Valade, Index Fungorum 165: 1 (2014) [MB550645]

Taxonomische Synonyme:

Inocybe obsoleta Romagn., Bull. trimest. Soc. mycol. Fr.: 145 (1958) [MB282700]

Pseudosperma obsoletum (Romagn.) Matheny & Esteve-Rav., Mycologia 112 (1): 112 (2019) [MB830555]

Inocybe obsoleta Romagn., Flora Analytique des Champignons Supérieurs: 218 (1953) [MB631150]

Ausser dem fehlenden Geruch keine anderen Unterscheidungsmerkmale.

makroskopisch

### Hutoberfläche

Weiss bereift

### Stielfarbe / Rinde

Weiss

olfaktorisch / organoleptisch

### Geruch / Geruchsprofil

Fast geruchlos

mikroskopisch

### Sporenmasse

9.1 - 11.9 x 5.3 - 7.5 µm - Q: 1.42 - 1.81 (Ø LxB: 10.5 x 6.6 µm ØQ:1.6 AzM: 20)

### Sporenform

Elliptisch-eiförmig

### Sporenwand

Dünnwandig

### Gattung/en:

Pseudosperma

<https://www.mycopedia.ch/pilze/10565.htm>



**Pseudosperma obsoletum**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Inocybaceae



Flammer, T©


12558 28.07.2021



Flammer, T©


12559 28.07.2021

Cheilozystiden



Flammer, T©

12560 28.07.2021



Flammer, T©

12561 28.07.2021