



Ramaria botrytis

Hahnenkamm

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Phallomycetidae, Gomphales, Gomphaceae

Legitimate

(Pers.) Ricken 1918

Aktueller Name gem. MycoDB: Ramaria botrytis (Pers.) Ricken, Vademecum für Pilzfreunde: 253 (1918) [MB356843]

Basionym: Clavaria botrytis Pers., Commentatio de Fungis Clavaeformibus: 42 (1797) [MB285281]

Obligates Synonym: Corallium botrytis (Pers.) G. Hahn, Der Pilzsammler: 72 (1883) [MB495668]

Taxonomische Synonyme: Clavaria coralloides Scop. (?) [MB497236]

makroskopisch

Fruchtkörper / Habitus / Wachstumsform

Der Hahnenkamm ist mit seinen lebhaften rosa-weinroten Spitzen gut zu erkennen.

mikroskopisch

Sporenlänge

>13 µm

Sporenform

Elliptisch

Sporenmembran, Oberfläche, Skulptur

Längsgestreift

Gattung/en:

Ramaria

<https://www.mycopedia.ch/pilze/3925.htm>



Ramaria botrytis

Hahnenkamm

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Phallomycetidae, Gomphales, Gomphaceae



Flammer, T©

4994 17.08.2014



Flammer, T©


4995 17.08.2014

Die Fruchtkörper nach 4 Wochen



Flammer, T©

4993 17.08.2014



Flammer, T©

5158 13.09.2014



Ramaria botrytis

Hahnenkamm

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Phallomycetidae, Gomphales, Gomphaceae

