



## Ramaria eumorpha

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Phallomycetidae, Gomphales, Gomphaceae

Legitimate (P. Karst.) Corner 1950

Aktueller Name gem. MycoDB: *Ramaria eumorpha* (P. Karst.) Corner, Annals of Botany Memoirs 1: 575 (1950) [MB304958]

Basionym: *Clavariella eumorpha* P. Karst., Bidrag till Kännedom av Finlands Natur och Folk 37: 185 (1882) [MB450958]

Obligates Synonym: *Ramaria eumorpha* var. *eumorpha* (1950) [MB846225]

Taxonomische Synonyme:

*Clavaria invalii* Cotton & Wakef., Transactions of the British Mycological Society 6: 176 (1919) [MB181101]

*Ramaria invalii* (Cotton & Wakef.) Donk, Mededelingen van het botanisch Museum en Herbarium van de Rijksuniversiteit Utrecht 9: 113 (1933) [MB268088]

mikroskopisch

### Mikroskopische Eigenschaften

Keine Asterozystiden in den Rhizomorphen vorhanden

### Sporenmembran, Oberfläche, Skulptur

Stachelig

chemisch

### Kalilaugenreaktion / KOH

Rosa, schnell verblassend

### Gattung/en:

Ramaria

<https://www.mycopedia.ch/pilze/3925.htm>




Ramaria eumorpha

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Phallomycetidae, Gomphales, Gomphaceae



Flammer, T©


5203 15.09.2014



Flammer, T©


6991 02.10.2017

Ampulliformer Schnallenübergang  
Hyphen mit Schnallen



Flammer, T©

5208 02.10.2017



Flammer, T©

5212 02.10.2017



Ramaria eumorpha

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Phallomycetidae, Gomphales, Gomphaceae

