



## Russula cremeoavellanea cf

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Russulales, Russulaceae

Legitimate

Singer 1936

Aktueller Name gem. MycoDB: *Russula cremeoavellanea* Singer, Revue de Mycologie (Paris) 1: 288 (1936) [MB262274]

Taxonomische Synonyme: *Russula chamaeleon* Singer, Revue de Mycologie (Paris) 2 (6): 227 (1937) [MB260407]

Sporenabwurf fehlt (sollte IIIa-IIIc) sein

makroskopisch

### Hutfarbe

Rot-verwaschen - rot-ockerlich

### Hutmerkmale

Huthaut 1/3 abziehbar

### Lamellenfarbe

Gelblich

### Sporenfarbe / Sporenpulver (Abwurf)

?

olfaktorisch / organoleptisch

### Geschmack

Mild

botanisch / ökologisch

### Standort

Quercus

mikroskopisch

### Sporenmembran, Oberfläche, Skulptur

Isoliert warzig-stachelig

### Primordialhyphen inkrustierte

Vorhanden

### Gattung/en:

Russula

<https://www.mycopedia.ch/pilze/3941.htm>



Russula cremeoavellanea cf

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Russulales, Russulaceae



Flammer, T©

10718 07.09.2020



Flammer, T©

10717 07.09.2020



Flammer, T©

10705 02.09.2020



Flammer, T©

10707 02.09.2020




*Russula cremeoavellanea* cf

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Russulales, Russulaceae




Flammer, T©

10706 02.09.2020



Flammer, T©

10716 07.09.2020



Flammer, T©

10708 02.09.2020