



Russula laeta

Hübscher Täubling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Russulales, Russulaceae

Legitimate F.H. Møller & Jul. Schäff. 1934

Aktueller Name gem. MycoDB: Russula laeta F.H. Møller & Jul. Schäff., Bull. Soc. Mycol. France: 231, t. 62 (1934) [MB305383]

Taxonomische Synonyme: Russula chamaeleontina var. ochrorosea Maire, Publicacions del Instituto Botánico Barcelona 3 (4): 56 (1937) [MB260409]

makroskopisch

Sporenfarbe / Sporenpulver (Abwurf)

Ocker

olfaktorisch / organoleptisch

Geschmack

Mild

botanisch / ökologisch

Standort

Laubwald, Fagus, Quercus

mikroskopisch

Sporenmembran, Oberfläche, Skulptur

Isoliert warzig

Primordialhyphen inkrustierte

Inkrustiert

Gattung/en:

Russula

<https://www.mycopedia.ch/pilze/3941.htm>



Russula laeta


Hübscher Täubling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Russulales, Russulaceae



Flammer, T©

6728 28.07.2017



Flammer, T©

6739 29.07.2017



Flammer, T©

6738 29.07.2017



Flammer, T©

6737 29.07.2017