



Scutellinia torrentis

Ellipsoidsporiger Hüllspor-Schildborstling

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyronemataceae

Legitimate (Rehm) T. Schumach. 1990

Aktueller Name gem. MycoDB: Scutellinia torrentis (Rehm) T. Schumach., Opera Botanica 101: 97 (1990) [MB127049]

Basionym: Lachnea torrentis Rehm, Annales Mycologici 5 (3): 212 (1907) [MB173595]

mikroskopisch

Sporenmembran, Oberfläche, Skulptur

Mit ineinanderfliessenden Warzen, die teilweise unregelmässige Flächen bilden.

Paraphysen

Keulig verdickt, mit globosem Kopf

Haare

Bis 400 µm, alle bifurcate

Varia

Bestimmt nach

Het geslacht Wimperzwam [Sutellinia (Cooke) lamb.] in Nederland - Huijser, Henk

Gattung/en:

Scutellinia

<https://www.mycopedia.ch/pilze/3964.htm>



Scutellinia torrentis


Ellipsoidsporiger Hüllspor-Schildborstling

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyronemataceae



Flammer, T©

15982 06.10.2023




Flammer, T©

15983 06.10.2023



Flammer, T©

15986 06.10.2023



Flammer, T©

15985 06.10.2023



Scutellinia torrentis

Ellipsoidsporiger Hüllspor-Schildborstling

Fungi, Dikarya, Ascomycota, Pezizomycotina, Pezizomycetes, Pezizomycetidae, Pezizales, Pyrenomataceae

