

**Taphrina deformans**

Fungi, Ascomycota, Taphrinomycotina, Taphrinomycetes, Taphrinomycetidae, Taphrinales, Taphrinaceae

Legitimate

(Berk.) Tul. 1866

Aktueller Name gem. MycoDB: *Taphrina deformans* (Berk.) Tul., Ann. Sci. Nat., Bot. 5: 122 (1866) [MB234886]Basionym: *Ascomyces deformans* Berk., Introduction to Cryptogamic Botany: 284 (1857) [MB210308]

Obligate Synonyme:

Exoascus deformans (Berk.) Fuckel, Fungi Rhenani Exsiccati. Supplementi Fasc. 8: no. 2275 (1869) [MB148213]*Ascosporium deformans* (Berk.) Berk., Outlines of British Fungology: 449 (1860) [MB214220]*Exoascus* var. *deformans* (Berk.) Fuckel: 252 (1870) [MB430803]

Taxonomische Synonyme:

Lalaria deformans R.T. Moore, Mycotaxon 38: 322 (1990) [MB126973]*Exoascus amygdali* Jacz. (1926) [MB250662]*Taphrina amygdali* (Jacz.) Mix: 156 (1936) [MB250663]

Kräuselkrankheit, welche besonders Pfirsich, Mandel- und Nektarinenbäume befällt.

Gattung/en:

Taphrina

<https://www.mycopedia.ch/pilze/11009.htm>

Flammer, T©

13621 08.05.2022