



## Thelephora anthocephala

## Blumenartige Lederkoralle

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Theleporales, Theleporaceae

Legitimate

(Bull.) Fr. 1838

Aktueller Name gem. MycoDB: Thelephora anthocephala (Bull.) Fr., Epicrisis Systematis Mycologici: 535 (1838) [MB162775]

Basionym: Clavaria anthocephala Bull., Herbar de la France 10: t. 452:1 (1790) [MB457017]

Obligate Synonyme:

Phylacteria anthocephala (Bull.) Pat., Les Hyménomycètes d Europe: 154 (1887) [MB356476]

Merisma anthocephalum (Bull.) Sw., Kungl. Svenska Vetenskapsakad. Handl.: 84 (1811) [MB469842]

Merisma petaloides Chevall., Flore Générale des Environs de Paris 1: 104 (1826) [MB469865]

Thelephora palmata var. anthocephala (Bull.) Fr., Systema Mycologicum 1: 433 (1821) [MB471840]

Thelephora palmata Pers., Mycologia Europaea 1: 113 (1822) [MB497501]

Merisma foetidum var. anthocephala (Bull.) Pers., Synopsis methodica fungorum: 584 (1801) [MB498458]

makroskopisch

**Fruchtkörperfarbe / Farbspektrum**

Sehr filigrane, zerbrechliche Koralle

**Sporenfarbe / Sporenpulver (Abwurf)**

Braun

olfaktorisch / organoleptisch

**Geruch / Geruchsprofil**

Riecht unangenehm

botanisch / ökologisch

**Standort**

Fichtenwald, Mischwald

mikroskopisch

**Sporenform**

Unregelmässige Sporen, eckig gelappt

**Sporenmembran, Oberfläche, Skulptur**

Isoliertwarzig, mittelwarzig

**Gattung/en:**

Thelephora

<https://www.mycopedia.ch/pilze/7135.htm>



Thelephora anthocephala

Blumenartige Lederkoralle

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Theleporales, Theleporaceae




Flammer, T©

6175 14.08.2016




Flammer, T©

6174 14.08.2016



Flammer, T©

4709 03.08.2014



Flammer, T©


4710 16.08.2016



**Thelephora anthocephala**

**Blumenartige Lederkoralle**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Thelephorales, Thelephoraceae



Flammer, T©

4711 03.08.2014



Flammer, T©

9794 25.08.2019