



Tremella globispora

Buckeliger Zitterling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Tremellomycetes, Tremellomycetidae, Tremellales, Tremellaceae

Legitimate

D.A. Reid 1970

Aktueller Name gem. MycoDB: Tremella globispora D.A. Reid, Trans. Brit. Mycol. Soc. 55 (3): 414, t. 4:j-k (1970) [MB324843]

Taxonomische Synonyme:

Tremella candida var. globispora (D.A. Reid) Krieglst., Beiträge zur Kenntnis der Pilze Mitteleuropas 12: 39 (1999) [MB460187]

Tremella globispora D.A. Reid (1970) [MB547343]

makroskopisch

Fruchtkörper / Habitus / Wachstumsform

Gallertartig

Substrat

Rindenöffnungen von Pyrenomyceten

Fruchtkörperfarbe / Farbspektrum

Weiss opak

botanisch / ökologisch

Vorkommen / Häufigkeit / Saison

In Feuchtperioden, der Pilz trocknet sehr schnell ein.

mikroskopisch

Sporenform

Rund

Gattung/en:

Tremella

<https://www.mycopedia.ch/pilze/7400.htm>

Siehe auch

<https://www.mycopedia.ch/pilze/0.htm>



Tremella globispora

Buckeliger Zitterling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Tremellomycetes, Tremellomycetidae, Tremellales, Tremellaceae



Flammer, T©

7443 06.01.2019

Hypobasidien



Flammer, T©


7444 22.03.2018

Hypobasidien



Flammer, T©

7445 22.03.2018



Flammer, T©

7446 22.03.2018



Tremella globispora

Buckeliger Zitterling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Tremellomycetes, Tremellomycetidae, Tremellales, Tremellaceae

