

**Xerula pudens****Braunhaariger Wurzelrübling**

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Physalacriaceae

Legitimate (Pers.) Singer 1951

Aktueller Name gem. MycoDB: Xerula pudens (Pers.) Singer, Lilloa 22: 289 (1951) [MB307874]

Basionym: Agaricus radicans var. pudens Pers., Synopsis methodica fungorum: 313 (1801) [MB480030]

Obligate Synonyme:

Oudemansiella pudens (Pers.) Pegler & T.W.K. Young, Transactions of the British Mycological Society 87 (4): 590 (1987) [MB129861]

Gymnopus pudens (Pers.) Gray, A natural arrangement of British plants 1: 605 (1821) [MB455892]

Collybia pudens (Pers.) S. Lundell, Fungi Exsiccati Suecici Fasc. 35-36: no. 1717 (1949) [MB295424]

Agaricus pudens (Pers.) Pers., Mycologia Europaea 3: 140 (1828) [MB243094]

Agaricus pudens (Pers.) Pers. (1828) [MB490669]

Taxonomische Synonyme: Agaricus radicans var. pudens Pers. (1801) [MB587418]

makroskopisch

Hutfarbe

Schmutziggrau

Stielbasis / Basis

Spindelig wurzelnd

Stielfarbe / Rinde

Rostrot

Stieloberfläche

Fein behaart, wie Velours anfühlend

Lamellenfarbe

Weiss

Lamellenmerkmale

Breit, frei, nicht angewachsen

olfaktorisch / organoleptisch

Geruch / Geruchsprofil

Unbedeutend

mikroskopisch

Cheilozystiden

Flaschenförmig, apikal inkrustiert, bis 120 µm, dickwandig 5 µm

Gattung/en:Xerula <https://www.mycopedia.ch/pilze/1063.htm>**Siehe auch**Xerula melanotricha <https://www.mycopedia.ch/pilze/11314.htm>



Xerula pudens

Braunhaariger Wurzelrübling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Physalacriaceae




Flammer, T©

14281 29.09.2022



Flammer, T©

14282 29.09.2022



Flammer, T©

14280 29.09.2022



Flammer, T©


14293 30.09.2022



Xerula pudens

Braunhaariger Wurzelrübling

Fungi, Dikarya, Basidiomycota, Agaricomycotina, Agaricomycetes, Agaricomycetidae, Agaricales, Physalacriaceae



Flammer, T©

14291 30.09.2022



Flammer, T©

14292 30.09.2022